



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Outgoing quarantine transactions.

Passed Assistant Surgeon Hobdy reports:

Week ended August 22.

Vessels fumigated and certified.....	27
Vessels certified.....	59

Report from Seattle, Wash.—Plague-prevention work.

Passed Assistant Surgeon Glover reports:

Week ended August 29, 1908.

Date of finding of last plague rat, July 9, 1908.

Rats received	1, 529
Rats necropsied	1, 448
Plague rats found	0
Plague-infected rats to date	20
Vessels inspected.....	18
Vessels fumigated	2

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES
OF THE UNITED STATES—UNTABULATED.

CALIFORNIA.—Month of July, 1908. Estimated population, 2,001,193. Total number of deaths reported to the State board of health, 2,482, including diphtheria 23, enteric fever 41, measles 9, scarlet fever 2, whooping cough 24, plague 2, and 308 from tuberculosis.

CONNECTICUT—*Stamford*.—Month of August, 1908. Estimated population, 22,000. Number of deaths not reported. Cases: Diphtheria 4, scarlet fever 8, enteric fever 2, and measles 11.

FLORIDA.—Reports from the State board of health for the week ended August 29, 1908, shows as follows: Enteric fever—*Jacksonville*, 8 cases; *Tampa*, *Tallahassee*, *Fernandina*, and *Macclenny* each 1 case. Tuberculosis—*Jacksonville*, 2 cases; *Palatka*, *Pensacola*, *De Funiak Springs*, *West Tampa*, and *Chattahoochee*, each 1 case.

INDIANA—*Muncie*.—Month ended September 2, 1908. Estimated population, 34,026. Total number of deaths, 33, including 3 from tuberculosis. Cases: Enteric fever 5, scarlet fever 1, and whooping cough 2.

IOWA—*Davenport*.—Month of August, 1908. Estimated population, 40,000. Total number of deaths not reported. Cases: Diphtheria 3, enteric fever 6, measles 7, tuberculosis 1, and whooping cough 7.

MASSACHUSETTS.—Reports from the State board of health for the month of July, 1908, show as follows: Week ended July 4, 1908. Forty-five cities and towns, having an aggregate estimated population of 2,292,795, report 645 deaths, including diphtheria 7, enteric fever 5, measles 5, and 48 from phthisis pulmonalis. Cases: Diphtheria 100,

enteric fever 46, measles 286, scarlet fever 69, whooping cough 15, and tuberculosis 98.

Week ended July 11, 1908. Number of localities reporting, 46. Estimated population, 2,306,835. Total number of deaths, 659; diphtheria 9, enteric fever 3, measles 9, and phthisis pulmonalis 44. Cases: Diphtheria 117, enteric fever 49, measles 264, scarlet fever 58, whooping cough 7, and tuberculosis 94.

Week ended July 18, 1908. Number of localities reporting, 47. Estimated population, 2,318,465. Total number of deaths, 687; diphtheria 5, enteric fever 7, measles 1, and phthisis pulmonalis 61. Cases: Diphtheria 120, enteric fever 49, measles 169, scarlet fever 41, whooping cough 23, and tuberculosis 112.

Week ended July 25, 1908. Number of localities reporting, 44. Estimated population, 2,289,512. Total number of deaths, 736; diphtheria 9, enteric fever 11, measles 2, phthisis pulmonalis 50. Cases: Diphtheria 104, enteric fever 78, measles 109, scarlet fever 53, whooping cough 69, and tuberculosis 178.

MONTANA.—Month of July, 1908. Estimated population, 280,000. Reports to the State board of health show as follows: Total number of deaths, 335, including diphtheria 10, enteric fever 3, scarlet fever 7, measles 2, and 39 from tuberculosis. Cases: Diphtheria 73, enteric fever 18, measles 3, scarlet fever 48, and smallpox 73.

Anaconda.—Month of July, 1908. Estimated population, 12,267; Total number of deaths, 15, including diphtheria 2 and 2 from tuberculosis. Cases: Diphtheria 4.

Billings.—Month of July, 1908. Estimated population, 12,000. Total number of deaths, 7, including 1 from tuberculosis. Cases: Diphtheria 1, enteric fever 2, and scarlet fever 1.

Bozeman.—Month of July, 1908. Estimated population, 4,000. Total number of deaths, 4. Cases: Smallpox 25.

Great Falls.—Month of July, 1908. Estimated population, 16,000. Total number of deaths, 21, including diphtheria 1, enteric fever 1, and 4 from tuberculosis. Cases: Diphtheria 9, enteric fever 2, scarlet fever 2, and smallpox 1.

Helena.—Month of July, 1908. Estimated population, 16,770. Total number of deaths, 18, including diphtheria 1 and 2 from tuberculosis. Cases: Scarlet fever 4 and diphtheria 2.

Livingston.—Month of July, 1908. Estimated population, 3,500. Total number of deaths, 3, including diphtheria 1 and 1 from scarlet fever. Cases: Scarlet fever 6.

Missoula.—Month of July, 1908. Estimated population, 5,000. Total number of deaths, 12, including 1 from tuberculosis. Cases: Scarlet fever 1, diphtheria 7, and smallpox 1.

NEW JERSEY.—Reports to the State board of health for the month ended August 15, 1908, show a total of 3,209 deaths, including diph-

theria 25, enteric fever 20, measles 10, scarlet fever 21, whooping cough 17, and 326 from tuberculosis.

PENNSYLVANIA.—*Highspire*.—Month of August, 1908. Estimated population, 2,000. No deaths reported. Cases: Enteric fever 2.

New Castle.—Month of August, 1908. Estimated population, 38,000. Total number of deaths not reported. Cases: Diphtheria 7, enteric fever 9, and tuberculosis 5.

Smallpox in the United States as reported to the Surgeon-General, Public Health and Marine-Hospital Service, June 27 to September 11, 1908.

[For reports received from December 27, 1907, to June 26, 1908, see PUBLIC HEALTH REPORTS for June 26, 1908.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

Place.	Date.	Cases.	Deaths.	Remarks.
Alabama:				
Huntsville	Jan. 5-June 18	85	And vicinity.
Mobile	June 7-Aug. 29	10	
Total for State		95	
Arkansas:				
Texarkana	Dec. 1-June 15	Present.
California:				
Angel Island Quarantine Station.	Jan. 1-May 18	5 additional cases. Report received out of date.
Los Angeles	June 7-July 4	6	
Oakland	Apr. 1-July 31	16	July 13, 1 case on schr. Alumna. Report for June not received.
Sacramento	May 1-July 31	4	
San Bernardino	Dec. 11-July 11	54	Reported out of date. June 1-13, mainly on Pala Indian Reservation.
San Diego County	June 1-Aug. 3	98	
Escondido	June 1-Aug. 3	15	June 6-27, 5 cases from day steamer City of Long Beach.
San Diego	June 1-Aug. 3	25	
San Francisco	June 6-Aug. 29	45	
Stockton	July 1-31	1	
Total for State		264	
Delaware:				
Reedy Island Quarantine Station.	Aug. 9	1	From steamship Haverford.
Total for State		1	
District of Columbia:				
Washington	June 14-27	8	
Total for District		8	
Idaho:				
Carey	May 21-Aug. 4	21	
Total for State		21	
Illinois:				
Alexander County	May 1-31	3	
Carroll County	May 1-31	5	
Cass County	May 1-31	34	
Champaign County	May 1-31	4	
Christian County	May 1-31	3	
Clark County	May 1-31	11	
Cook County—				
Chicago	June 14-Aug. 1	10	
Harvey	May 1-31	1	
DuPage County	May 1-31	1	
Effingham County	May 1-31	1	
Iroquois County	May 1-31	3	
Jo Daviess County	May 1-31	1	
Kane County	May 1-31	37	